Item:Germinating quickly paulownia stump different types

Company information:

We are China professional paulownia planter with long experience both planting and exporting about paulownia more than 10 years.

We will send Technical Guidance and Phytosanitary certificate.

Learn n	nore about paulownia
Paulownia species	Paulownia hybrid 9501,paulownia shantong,paulownia elongata,paulownia fortunei,paulownia tomentosa,royal and so on.
Paulownia seed	Lower pricer, very light and small, high technical requirments, hard to getting better seedlling in one year. We will send a file about how to plant paulownia seed.
Paulownia root/cutting	Simple technical, save work and time, 95% survive rate, grows very fast, get better paulownia tree. We will send Technical guidance for free after you confirm the order.
Paulownia stump	Very easy to survive.
Certificate	Phytosanitary certificate
Express we suggest	DHL and EMS, because the roots, seeds and stumps will go to a long trip through different temperature changes, quick express can guarantee the quanlity.

Please enjoy the following pictures:



99%survive rate















Heze Fortune International Co.,Ltd.
















FAQ:

1. The better way to plant paulownia tree? Paulownia root cutting and paulownia stump, expecially for new planter.

2.Delivery time?

From end of Nov. to next April.

offer storage survice of paulownia root cutting and stumps

3. Is plant paulownia root cutting in land workable?

Yes, of course. Put whole root in land, firm lightly, cover upside by at least 3-5cm soil.

4. Withstand temperature

-25-+45 celsius degree growth is ok

5. Do paulownia planting need special soil?

No, Normal soil is ok.

6. water requirement?

Paulownia have good dry resistant, expecially height than 50cm. no need water them all the time.

7. How to get better trunk.

Choose better species, for example hybrid, and control lateral buds and trim branches.

8 how many years can be use for timber?

7-8 years matured, you can start cut wood from 5 years.

Certificate:

			11 - 12 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A	
@ **	OF THE PROPER	S REPUBLI	# BU > HISOMISSIATE	
MITARIES SERVICES	HEART PORTUNE	DOTTOBLATIONAL	COLUMN TE SERVICE BOARD HEET	
在某人名荷及斯拉	MESSONA SIALIE	ALHIBOARA 84/1	SET CHISDIAN MO MODOS ROPUBLIC CO	
E E PAULOWN			PAULDWAILA PORTUNIES ACADMINATED	
Name of Product 60 St. St. Ougston Declared		acid Name of Plants	NERSE	
NAME AND DESCRIPTIONS OF THE PERSONS ASSESSMENT AND PERSONS ASSESSMENT ASSESS	**ICTN			
The of Ongo: SHADONG				
For of Documents 1210 Z R. BYA When of Correspond		990	1 701 C Inspersor 11 71294, 2015	
每区规定的校设性有否生1	度。 百日斯华毛里有多	CHEST SERVICE SERVICES		
There are no presently wheat the	to procedure and my a ally loss from other sep-	or refer regulated to considered to be free cross power, and the	of $t \in \gamma$ in A , the district $m(\gamma)$ is the trivial m of m and	
This is to confit that the monet according to appropriat manner," angles, and process physicalitary experiments of	to procedure and not a ally line from other inju- tion impacing country ()	or other regulated to combined to be live other power; and the opine,	form magnitude above how been imported and the	
This is to confit that the monet according to appropriat manner," angles, and process physicalitary experiments of	to procedure and not a ally line from other inju- tion impacing country ()	or other regulated as considered to be fire etcon posses, and the opinio. TATES AND US. SPECIAL SEE Observed and Cor	make described above here been reperhal and/or form, parameter price specified by the trappeting of they are secondarily to confirm with the parameter they are secondarily to confirm with the parameter they are secondarily to confirm with the parameter they are secondarily to confirm the confirm of the parameter that they are secondarily to confirm the confirm that they are secondarily to confirm the confirm that they are secondarily to confirm the confirmation of the confirmation	
This is to confly that the second according to appropriate control of approximately engineering of the St.	to procedure and not a ally line from other inju- tion impacing country ()	or other regulated to considered to be free close power, and the opposite ANNIANE I STATISTICAL ANNIANE I	make described above here been required and/or from parameter price specified by the traperties of they are standard to confirm with the paramet DESTRUCTION TREATMENT OVERSHAPTISTON NORTH	
This is to result that the send according to appropriate country, represented of the St.	PARTY AND THAT OF STATE OF STA	or other regulated to be for- cioned to be for- cioned perior, and pho- gram. PERIOR AND TOP. Observed and Co- 20 Med Fig. 20 Med. Distriction and To- Company and Top. Distriction AL USCI. DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTAL DISTRICTA	to be described above from been supported and/or for the property of the prope	

For any questions please feel free to ask with following contact methods:

1.Cell/Whatsapp:0086 18366003934

2.Wechat:nicole003

 ${\bf 3. Email:} nicole@fortunewoods.com$