Item:Shan tong paulownia seeds cold dry resistant

Chinese	Shan tong paulownia seeds cold dry
resistan	t
Paulownia Species	Paulownia Elongata, Paulownia Tomentosa, Paulownia Fortunei, Paulownia hybrid 9501, Paulownia Shantong, Paulownia hybrid fortunei x tomentosa, Royal and so on.
Breed Routes	Paulownia planting or sapling, Paulownia root cutting, paulownia stump, paulownia rootstock or stem, Paulownia seed and so on
Get bett followin	er Paulownia tree pay attention as
Land	 Ground water level: more than 1.5m. Soil texture: permeablility or breathability good loam and sand soil, avoid clay, harden, ventilation adverse soil. PH of soil, 6-7.5 is the best, 5-8.9 is acceptable. Good irrigation and drainage systerm will be better. Elevation up to 2000m is acceptable
Water	 Fecund and wet. No ponding and water saturation Annual rainfull 400mm-1200mm. In seedling period, keep the soil with good moisture(20-40%), after grow up than 50cm drought resistant ability improve, then better and better. attention please: water enough, no ponding, keep soil breathing
Sunshine	 Plant paulownia tree in sunny place and keep away from heavy wind. Try to prohibit paulownia tree under other bigger trees Density. For seedling using 0.8x1m or 1x1m distance, for forestation 4x4m or bigger distance. Plant with crop distance more than 3x15m.
Temperature	Annual temperature 12-20celsius degree grow better; -20- +45celsius degree is ok, vulnerable to frost damage if absolute temperature less than -25celsius degree.
Fertilizer	At the first, for paulownia seed, paulownia root and paulownia stump, and other paulownia planting, give little fertilizer, and in the future: less quantity fertilizer and much more times.
Breeding Method	 For seedling, mainly by Paulownia seed and paulownia root, and the root is the better and common way. Afforestation: paulownia root, paulownia stump and seedling of one or two years.

Difference o seed and root	 Paulownia seed price is lower, but seed very small and light, high technical requirement, and it is hard to get better seedling in one year. Keep genn of original plant not so well, It's easy to have a separation phenomenon. Plant by paulowna root(vegetative propagation), keep the nature of original species, simple technical, save work and time, get better paulownia tree.
Work Progress	Paulownia seeds: choose quality species tree, disinfection and drying, package and storge. Paulownia root: take root out from soil of one year seedling-then cut them-clean soil- then disinfect with sevral drugs- washing-fumigation-trim-package-fresh keeping storehouse-arrange shipping.
Featu	res Instruction
Features of hybrid	 Hybrid by paulownia fortunei x tomentosa, parents are south and north species of Chinese. The hybrid species inherited good gene of the both, has good environmental adaptability. Fast growth, with medium crown, straight through trunk, small difference between top and end. The first 1-3years fast growth of height, the first year 3-5m, the following more than 2-3m per year. From 3-4years height slowly and coarse grow faster, 4-9years is the fast period of thickness. Years grow slowly and steadily. So the paulownia tree 7-10years mature, up to 0.8-1cbm per tree.

Please enjoy the following pictures and contact us methods as follow:



Learn r	nore about paulownia
Paulownia species	Paulownia hybrid 9501,paulownia shantong,paulownia elongata,paulownia fortunei,paulownia tomentosa,royal and so on.
Paulownia seed	Lower pricer,very light and small,high technical requirments,hard to getting better seedlling in one year.100% seeds with 85-95% survive rate. We will send a file about how to plant paulownia seed.
Paulownia root/cutting	Simple technical,save work and time,95% survive rate,grows very fast,get better paulownia tree. We will send Technical guidance for free after you confirm the order.
Paulownia stump	Very easy to survive.
Certificate	Phytosanitary certificate
Express we suggest	DHL and EMS, because the roots, seeds and stumps will go to a long trip through different temperature changes, quick express can guarantee the quanlity.


Please enjoy the following pictures:


















FAQ:

1. The better way to plant paulownia tree? Paulownia root cutting and paulownia stump, expecially for new planter.

2.Delivery time? From end of Nov. to next April. offer storage survice of paulownia root cutting and stumps

3. Is plant paulownia root cutting in land workable? Yes, of course. Put whole root in land, firm lightly, cover upside by at least 3-5cm soil.

4. Withstand temperature -25-+45 celsius degree growth is ok

5. Do paulownia planting need special soil? No, Normal soil is ok.

6. water requirement? Paulownia have good dry resistant, expecially height than 50cm. no need water them all the time.

7. How to get better trunk.

Choose better species, for example hybrid, and control lateral buds and trim branches.

8 how many years can be use for timber? 7-8years matured, you can start cut wood from 5years.

Certificate:

		the same had state
	人民共和国出入境 GTT INSPECTION AND PEOPLE'S REPUBLI	C OF CHINA
9	植物检疫证 TOSANETARY CER	* #10 %_ ITLADOUTSOINTIN
	and the second state of the second se	L CO., LTD. IT. XINGCAI BOAD, HELTE,
gASWANG INCO	WA MALLE ALBUSOARA SU	1 SP1 CHURNAU MO MODES REPUBLIC OF
GAM ROOT	NED 10-10-7-15 Dataseted Name of Plant	
es of Peders 0.5.2 **score::s**stats unity Declaret		和公共与利
法针发及数量 **1CTM		144
The BOARDOND CHINA		
Plane of Origin PELLOTE MICLOOVA		
For of Desenantial	10.10	
sea to all the sea and sea all in the states. No. 12, 1	口服我会做公司我用意思帮	日期 「 beginning 11 月394, 2015 通目板食物 (成約3)、並以为不得有能人開成 方可行合能 人間成功(に度行)の能力的分素系。
Notes of Conversion BULES MARK - BURE & S. BURESHERGER A & S. The sets could that the plane , mand assessing to appreprint provide many appression provide for 1	These Is the start with an exception of the start with the start products on other regarding of these mark are considered in the first may refer experience press. and if	d Imperiar 11 AIN, 2015
Note: J Company © 2 (1) 1 (2) (1) (2) (1) (2) (2) 10 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	There is a design of a star of the star of the set of the first of the star of the set of the set of the set of the star set of the	of Important 11 月394, 2015 2011年4月1日、11月2日、11月2日 2017年2日、人間後期に用作(中国時間)20月間第一 andreader allever have been seemented and an e form, quantuming point specified by the importing of they are considered to confirm with the exercise of they are considered to confirm with the exercise
Notes of Conversion BULES 1 (CARD - GART And BULES 1 (CARD - GART And BULES AND OTHER AND A TH The sease county that the planes and a monology to appropriate provide means of any sease and prevalence for the physical large regularized of the impact BULES AND AND AND A	There is also by 1.1 or its 21 fill all 20 fill a. 4 - 5 fill its 20 fill fill all 20 fill and and an evolution of all the fill and and and evolution process, and the ing constant organization and and all all all all all all all all all all all all all all all all all	of Importance 11 (JUN), 2013 ATT 10 (2 m) (JUN), BLA (2 F) (3 M), ATR (3 M), NU (F) (3 M), ATR (JUN), BLA (2 M), F (2 G) (M), ATR (3 M), ATR (3 M), ATR (JUN), ATR (3 M), ATR (3 M), a data sharehad datase have been suspected and for a data gamming peak specified in the importing of data are considered to confirm with the operating at data are considered to confirm with the operating at they are considered to confirm with the operating at the operating at t
Note: J Company © 2 (1) 1 (2) (1) (2) (1) (2) (2) 10 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	The second secon	of Importance
None of Company BURG 1 (CAR), (GR) * (Lot, 10) (RUCAR) (RUCAR), (GR) * (Lot, 10) (RUCAR) (RUCAR), (GR) * (Lot, 10) (RUCAR) (RUCAR), (GR) * (Lot, 10) (RUCAR), (RUCAR), (GR) * (RUCAR),	There is a 4 start with a start of the start of the is a 4 start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start start of the start of the start of the start of the start of the start of t	of Sequences 11 ARM 2 2013 All FIG & W. (2022) BLS (3) A R & HE AL HAR ALL H
Noney of Conversions BULE 112, SUB - 60 Rt * 40 Rt REV RUE ADDREET R A 5 1 Rt - 6 RT The sease county that the planes - mand anomenicy to apprepriate provide anomaly employments of the import physical start - 6 Rt - 78, 78, 78 Rt B - 98, 82, 84, 2015 Date: 80, 82, 84, 2015 Textures: 80AK	There Is a strict with 1 or 20 m H and 20 m H a strict with the strict of 2 m H and 20 m H a strict with the strict of a strict or produced of the first strict or other expendence of the first strict or other expendence of the first strict of the strict	d Important III ARM 2 2013 d Tri RA de M. (2022) BLA JA A R A MA A MA A RETER Y M. A REAL MER RY 1916 R 1926 R B a data and a set of RY 1916 R 1926 R B a data a particular track for the supervised and for a data as a susceeded to confere with the importing in data as a susceeded to confere with the content DESEMPTITION TREATMENT DESEMPTITION TREATMENT CYPERIMETER/M NORPEM aperature 20 MIR/TERS
Notes of Conversions BULES LICENES (State 1997) Solid The action county foreign the filters and the State State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State State of the State of the State of the State of the State State of the State of the State of the State of the State State of the State of the State of the State of the State State of the State of the State of the State of the State State of the State	There Is a strict with 1 or 20 m H and 20 m H a strict with the strict of 2 m H and 20 m H a strict with the strict of a strict or produced of the first strict or other expendence of the first strict or other expendence of the first strict of the strict	of Sequences <u>11 (2014)</u> , 2013 at 11 (20 d) 10 (2012) <u>2013</u> , 2013 <u>11 (20 d)</u> 10 (2012) <u>2013</u> , 2013 at 11 (20 d) 10 (2012) <u>2013</u> , 2013 <u>11 (2014)</u> , 2014 at 10 (2014) <u>2014</u> , 2014 <u>11 (2014)</u> , 2014 at 10 (2014) <u>2014</u> , 2014 <u>2014</u> , 2
None of Company Burger 1 (2000) - 60 (017) 40.00 BURGER (2000)	There Is a detail by 1.1 of 0.2 H BL 2. H M Is a 4.2 H BL 2. H M Is a 4.2 H BL 2. H M Is a 4.2 H BL 2. H M Is a 2.2 H BL 2. H BL 2. H BL 2. H M Is a 2.2 H BL 2. H	d Important III ARM 2 2013 d Tri RA de M. (2022) BLA JA A R A MA A MA A RETER Y M. A REAL MER RY 1916 R 1926 R B a data and a set of RY 1916 R 1926 R B a data a particular track for the supervised and for a data as a susceeded to confere with the importing in data as a susceeded to confere with the content DESEMPTITION TREATMENT DESEMPTITION TREATMENT CYPERIMETER/M NORPEM aperature 20 MIR/TERS
Masso of Conversions In 2019 1 26 00 8 - 00 fb 7 26 00 IN 2012 20 80 221 8 (2.1.8) - 01 10 There is no result with the plane - indexestory regimes and personally face 1 degenerative regimes and the import IS IN 76 72 78 0 IS IN 76 72 78 0 IS IN 76 72 78 0 IS IN 76 0 IS	The second secon	d Ingentes III ARA's 2013 d Hardon M. (2012). BLA 3/A (2014) H. A. Ha di serier (2014, All March (2014) (2014) B 2016) B 3/A analos develoed above have here seen separated and/or a day are susceeded to confere with the separated in day are susceeded to confere with the separated in day are susceeded to confere with the separated and they are susceeded to confere with the separated in they are susceeded to confere with the separated in they are susceeded to confere with the separated in they are susceeded to confere with the separated DEPONIDEDON TREADENT DEPONIDEDON TREADENT BY SUBJECTION TREADENT BY SUBJECTI

For any questions please feel free to ask :

